•	Application No.	Applicant(s)
Notice of Allowability	10/501,136	BURSTROM ET AL.
	Examiner	Art Unit
	Stephen G. Sherman	2629
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment filed 20 December 2007.		
2. The allowed claim(s) is/are <u>1-4 and 6-24.</u>		
<ul> <li>3.</li></ul>		
THIS THREE-MONTH PERIÓD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5.  Notice of Informal P	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da	(PTO-413),
3. ☑ Information Disclosure Statements (PTO/SB/08),	7. Examiner's Amendr	ment/Comment
Paper No./Mail Date  4.	8. ⊠ Examiner's Stateme	ent of Reasons for Allowance

## EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Ali Imam on 14 January 2008.

2. The application has been amended as follows:

Please cancel claims 25-36.

## Allowable Subject Matter

- 3. Claims 1-4 and 6-24 are allowed.
- 4. The following is an examiner's statement of reasons for allowance:

5.

The primary reason for allowance is the inclusion of the limitation "wherein the sensor arrangement comprises a sheet substrate with a closure area and an electrode area formed thereon, the substrate being bent such that the closure area and the

Application/Control Number:

10/501,136 Art Unit: 2629

electrode area form said closure element and said electrode element, respectively" into claim 1, which is not found singularly or in combination within the prior art.

The closest available prior art references (Johnson et al., Nagai et al., and Rockwell et al.) disclose of electronic pen configurations using pressure sensitive sensors, however, the references singularly or in combination fail to teach of the substrate with a closure area and an electrode area formed thereon, the substrate being bent such that the closure area and the electrode area form said closure element and said electrode element, respectively.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen G. Sherman whose telephone number is (571) 272-2941. The examiner can normally be reached on M-F, 8:00 a.m. - 4:30 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Amr Awad can be reached on (571) 272-7764. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

10/501,136

Art Unit: 2629

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

SS

14 January 2008

AMR A. AWAD
SUPERVISORY PATENT EXAMINER

AMA AMAD

AMA AMAD